

patient profile

Name:	DC)B:	Age:	Sex:	
Address:					
City:		State:	Zip:		
Phone:		E-mail:			
About you:					
What is your heredit	ary background? (Check	c all that apply)			
■ Nordic					
☐ Scandinavian	1				
☐ Irish					
☐ English					
☐ Asian					
☐ Mediterranea	n				
☐ Hispanic					
☐ Native Ameri	ican				
☐ Middle Easte	rn				
☐ African Amer	rican				
□ Other:					
Natural eye color:					
Do you consider your	r skin (Check all that ap	ply):			
Normal					
\square Dry					
☐ T-Zone					
☐ Combination					
☐ Thick					
☐ Thin					
\square Saggy					

☐ Firm		
☐ Oily		
☐ Acne		
☐ Comedones/Blackheads		
☐ Milia		
\square Cysts		
☐ Breakouts		
☐ Acne-scarred		
☐ Large pores		
☐ Small pores		
☐ Rosacea		
☐ Eczema		
☐ Freckled		
☐ Sun-damaged		
☐ Melasma		
☐ Hyperpigmentation		
☐ Hypopigmentation		
☐ Uneven/Blotchy		
☐ Mature		
☐ Wrinkled		
☐ Patchy dryness		
☐ Sallow		
☐ Psoriasis		
☐ Dehydrated/Lacking moisture		
☐ Asphyxiated		
☐ Telangiectasia/Broken surface capillaries		
What are the changes you'd most like to see in your skin?		
Lifostylo.		
Lifestyle:		
Are you pregnant or lactating? (Please consult with your obstetrician. Only the Oxygenating Trio®,		
Detox Gel Deep Pore Treatment or Hydrate: Therapeutic Oat Milk Mask are appropriate.) Yes		
☐ Yes		

□ No		
Do you wear contact lenses? (Remove contacts if eyes are sensitive or if having microdermabrasion		
☐ Yes		
□ No		
Do you currently have a sunburned/windburned/red face?		
☐ Yes Why?		
□ No		
Are you in the habit of going to tanning booths? (If within the past 14 days, decline treatment. This		
practice should be discontinued due to increased risk of skin cancer and signs of aging.)		
☐ Yes		
□ No		
Do you participate in vigorous aerobic activity or sports?		
☐ Yes What type?		
□ No		
Do you smoke or use tobacco?		
☐ Yes		
\square No		
What kind of work do you do?		
On average, how many hours per week do you spend outdoors?		
Medical / Treatment history:		
Do you currently use depilatories or wax? (Discontinue use five days pre- and post-treatment.)		
Yes		
Have you had a chemical peel or any type of procedure with a medical device?		
☐ Yes		
□ No		
Within the last 14 days?		
☐ Yes What type?		
Do you have regular collagen, Botox® or other dermal filler injections? (Peels should precede or follow		
injections by two days to prevent movement of the filler or stinging at the injection site.)		
☐ Yes		
□ No		

■ 37	had laser resurfacing or facial surgery?
☐ Yes	
□ No	
When?	
Are you currently	taking any medications, topical or otherwise?
(Tretinoin/Retin-	A®/Renova®/Differin®/Tazorac®/Avage®/EpiDuo®/Ziana®)
☐ Yes	
□ No	
	
	s of certain ingredients may increase sensitivity. Discontinue use five days before consult your physician before discontinuing use of any prescription.)
Have you undergo	one Accutane® therapy (isotretinoin)?
☐ Yes	
□ No	
(If you are curren	ntly using Accutane® therapy (isotretinoin), please consult with your dispensing
	ntly using Accutane® therapy (isotretinoin), please consult with your dispensi
physician.)	ntly using Accutane® therapy (isotretinoin), please consult with your dispension of using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra
<pre>physician.) (If you are no long</pre>	
physician.) (If you are no long Peel® I, Sensi Pe	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultr a
physician.) (If you are no long Peel® I, Sensi Pee Milk Mask or Rev	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic
physician.) (If you are no long Peel® I, Sensi Pee Milk Mask or Rev	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.)
physician.) (If you are no long Peel® I, Sensi Peel® I, Sensi Peel® I, Sensi Peel® I (Sensi Peel® I) (Sensi Pe	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.)
physician.) (If you are no long Peel® I, Sensi Peel® I, Sensi Peel® I with Mask or Rev Do you develop co Yes No	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout?
physician.) (If you are no long Peel® I, Sensi Peel® I, Sensi Peel® I, Sensi Peel® I (Sensi Peel® I) (Sensi Pe	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.)
physician.) (If you are no long Peel® I, Sensi Peel	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout?
physician.) (If you are no long Peel® I, Sensi Peel® I, Sensi Peel® I with Mask or Rev Do you develop co Yes No Are you allergic/s Milk Apples	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout?
physician.) (If you are no long Peel® I, Sensi Peel® I Yes	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout?
physician.) (If you are no long Peel® I, Sensi Peel® I No Do you develop cool Yes No Are you allergic/s Milk Apples Citrus Grapes	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout?
physician.) (If you are no long Peel® I, Sensi Peel	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout?
physician.) (If you are no long Peel® I, Sensi I, S	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout?
physician.) (If you are no long Peel® I, Sensi Peel® I Sensi Peel® I Sensi Peel® I Sensi Peel® I Sensi I Sen	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout?
physician.) (If you are no long Peel® I, Sensi I, Sens	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout? densitive to (check all that apply)
physician.) (If you are no long Peel® I, Sensi Per Milk Mask or Rev Do you develop co Yes No Are you allergic/s Milk Apples Citrus Grapes Aloe vera Aspirin Perfumes	ger using Accutane® therapy (isotretinoin), it is OK to apply ONE layer of Ultra el®, Advanced Treatment Booster, Oxygenating Trio®, Hydrate: Therapeutic vitalize: Therapeutic Papaya Mask.) old sores/fever blisters? Last breakout? densitive to (check all that apply)

	, what? any other products that caused a bad reaction?		
☐ Yes ☐ No	Describe:		
Patient signature: _		Date:	
Clinician signature:		Date:	

consent form

Prior to receiving treatment, I have been candid in revealing any condition that may have bearing on this procedure, such as: pregnancy (if so, consult your physician prior to treatment), recent facial surgery, allergies, tendency to cold sores/fever blisters, or use of topical and/or oral prescription medications such as: tretinoin, Retin-A®, isotretinoin, Accutane®, Differin®, Tazorac®, Avage®, EpiDuo® or Ziana®.

I understand there may be some degree of discomfort such as stinging, pin-prickling sensation, heat or tightness.

I understand there are no guarantees as to the results of this treatment, due to many variables, such as: age, condition of skin, sun damage, smoking, climate, etc.

I understand I may or may not actually peel and that each case is individual. I understand that the amount of peeling does not correlate with degree of improvement.

I understand this treatment is a cosmetic treatment and that no medical claims are expressed or implied.

I understand that to achieve maximum results, I may need several treatments.

I understand that although complications are very rare, sometimes they may occur and that prompt treatment is necessary. In the event of any complications, I will immediately contact the physician/clinician who performed the treatment.

I agree to refrain from tanning in tanning beds or outdoors while I am undergoing treatment, and during the 14 days prior to and following the end of treatment. This practice should be discontinued due to the increased risk of skin cancer and signs of aging.

I understand that extended direct sun exposure is prohibited while I am undergoing treatment, and the daily use of sunscreen protection with a minimum SPF of 30 is mandatory.

I have not had any other chemical peel of any kind within 14 days of this treatment. I understand I cannot have another chemical peel within 14 days of this treatment, whether it is performed at this location or any other location.

I understand that I should follow my clinician's recommendations for post-procedure skin care to minimize side effects and maximize results.

I hereby agree to all of the above and agree to have this treatment performed on me. I further agree to follow all post-peel care instructions as I am directed.

Signature:	Date:
Initials:	
Signature of Clinician:	
Signature of Witness:	

Continued Treatment Consent

Date	Initials

Date	Initials